

Review

The Impact of Sporting Events on Carbon Emissions and the Emission Reduction Measures: a Systematic Review from 2019 to 2024

Shu Xuan¹, Zong-kai Zhou¹, Jing-Xuan Zhou², Qi-Fei Xia³, Yi-Ning Qin¹,
Jiang-Ping Wu^{1*}

¹School of Physical Education, Hunan University, Changsha, China

²School of Urban Planning and Design, Peking University Shenzhen Graduate School, Shenzhen, China

³School of Physical Education, Ankang College, Ankang, China

Received: 26 October 2024

Accepted: 04 March 2025

Abstract

This systematic review examines the influence of sporting events on carbon emissions, with a particular focus on studies published between 2019 and 2024. As the global sports market expands significantly, concerns about the environmental impact of sporting events, particularly their carbon footprint, are becoming increasingly prominent. This review addresses two key research questions: the relationship between sporting events and carbon emissions and the efficacy of measures implemented to reduce these emissions. A comprehensive literature search across seven databases initially identified 616 relevant studies. Following a thorough screening process, 10 articles were deemed to meet the inclusion criteria. The selected studies encompass a diverse range of countries and sports, underscoring the mounting interest in the subject of carbon emissions from sporting activities. However, this review also identifies notable deficiencies in the existing research. Although sporting events may not be as significant contributors to carbon emissions as other sectors, there is a pressing need for a more profound comprehension of the environmental consequences of these events, particularly as they become more prevalent and extensive in scale. This review underscores the need for more focused research in the domain of sport ecology, specifically emphasizing the sustainability of mega-events.

Keywords: sports ecology, carbon emission, sports event management, environmental conservation

Introduction

Since the signing of the United Nations Framework Convention on Climate Change in 1992, we have

been concerned about whether implementing policies can solve the problem of environmental pollution [1]. Countries have proposed a series of governance methods for energy saving and emission reduction, hoping to realize this vision through technological interventions [2, 3] or policy interventions [4, 5] in industry [6], agriculture [7], and other fields.

*e-mail: wjping@hnu.edu.cn

Tel: +86-13973187997

The global sports market reached \$388.28 billion in 2020 and is expected to reach \$599.9 billion by 2025, with a CAGR of 8% [8]. This shows that the sports market still has a large potential for development and occupies an important position in the international economy. FIFA estimates the global fan base to be 4 billion people, accounting for about half of the world's population. Other sports, such as basketball and tennis, also have large audiences. At the same time, it promotes the generation of sports fan culture [9, 10], increasing the public's willingness to watch sports events. Current research on sports events focuses on enhancing economic benefits [11], promoting local tourism [12], creating fan culture [13], etc., and there is relatively little research on the sports environment.

As sports events are held more frequently and on a larger scale, the negative impacts of sports events on the climate and the environment are becoming greater, especially the carbon emissions and the total carbon footprint of sports events [14]. Gradually, the public found that organizing sports events will affect carbon emissions, which in turn will affect the environment and climate, and the environment and climate will also affect the development of sports events, which will eventually form a mutual influence mechanism [15, 16]. Along with the IOC's emphasis on climate, the Brisbane 2032 Olympic and Paralympic Games in Australia will be the first games to be required to actively address climate change through a combination of two levers to achieve emission reduction measures and carbon offsets [17]. The largest international sporting event will lead other sporting events to embrace the concept of energy-saving and emission-reduction events to reduce the problem of increased carbon emissions caused by sporting events. According to the existing research results, it is believed that there is a great correlation between sports and ecology, which gradually derives the concept of sports ecology, an emerging sub-discipline in sports management [18]. Sport ecology is a bidirectional relationship between sport, the natural environment, and the two, focusing on the bidirectional mechanism of action between sports activities and the ecological environment and emphasizing the sustainability of sport. It can be seen that in the field of sports, ecological pollution has become one of the more urgent problems that to be solved.

Environmental management of sports events has received significant attention in recent years. This is because the environment is an important factor affecting athletes' health and competition performance [19], and using energy at sporting events is one of the major causes of greenhouse gas emissions, which in turn creates a mechanism of mutual influence. Green stadiums are also a key argument, with the International Federation of Association Football (FIFA) introducing mandatory green building certification in 2018 [20], setting out the basic green building requirements for subsequent sporting events hosted by them. The 2022 FIFA World Cup in Qatar is expected to have a carbon footprint of

around 3.6 million tons, with stadiums in the build-ready phase accounting for an estimated 72% of these greenhouse gas emissions. Therefore, the concept of "green stadiums" needs to be implemented throughout the stadium's lifecycle to minimize the stadium's GHG emissions [21].

Research on the interactions between sports events and climate, ecology, and carbon emissions has increased in the last five years. Based on the analysis of the literature on similar topics, it is found that the main focus is on 1) the impact of climate change on athletes [22], 2) the selection of more appropriate sports event organizers based on environmental factors [23], 3) the impact of environmental change on some sports [24], and 4) the environmental legacy of sports events [25]. Based on the preliminary analysis, it is found that the current research lacks a systematic review of the carbon emissions from sports events, and in the past five years, sports event organizers and relevant international sports organizations have paid more and more attention to the issue of carbon emissions. Therefore, this paper will focus on the connection between the holding of sports events and carbon emissions, which is one of the innovative points of our review.

At present, the carbon emission detection of sports events is still mainly fixed-point detection at different times. For example, at different times during the Olympic Games, carbon concentration monitoring equipment is used to monitor the point. There are also scholars conducting research on urban areas for landscape planning and design spatial and temporal variations in chromium (Cr) concentrations in *Picea Orientalis* L. Determination for the suitable biomonitors to be used in monitoring the change for reducing the concentration of V in areas with high-level emissions [26]. At present, the monitoring methods of carbon emissions have also been optimized to improve detection accuracy through direct or indirect detection.

Although the carbon emissions from sporting events are not significant and are not comparable to those of other sectors, such as energy [27], agriculture [28], and manufacturing [29, 30], we believe that this aspect of the study deserves attention. Because the number of people participating in sporting events is increasing [31], the frequency of sporting events is increasing, and sporting events are a source of carbon emissions, either directly or indirectly. Therefore, we need to understand the sources of carbon emissions during sports events and study the existing management methods. According to the United Nations Framework Convention on Climate Change, we should not ignore all areas that may affect carbon emissions.

Materials and Methods

We used a five-step approach for literature screening to get the literature and evidence we needed (Fig. 1). The five steps are as follows:




Fig 1. Literature Screening Flowchart.

- 1) Framing the research question.
- 2) Specifying the literature inclusion criteria.
- 3) Determining the search time and search terms.
- 4) Removing irrelevant literature and screening.
- 5) Inclusion of literature.

Step 1: Framing the research question

RQ1: What is the evidence on the impact of sporting event hosting on gas emission-related impacts?

RQ2: What initiatives have been taken by sporting events to address carbon emissions, and how effective are they? What is the evidence?

Step 2: Specifying the literature inclusion criteria

Our search process mainly covered sports events and related activities (i.e., tournaments, leagues), where sports events were not required and could accommodate both major and university sports events (minor sports events). During the search process, there was a preference for searching directly for literature with the title or including "sporting events" directly in the abstract section, thus excluding literature on a broader range of studies. For carbon emissions, we focused on the main greenhouse gases, mainly "carbon dioxide".

Step 3: Determining the search time and search terms

Because the literature requires that the selected articles be relatively new, we limit the search time to 2019-01-01 - 2024-10-11. Other times in the literature are not included, so the time to determine the time of each database search shall prevail, respectively, in Web of Science, PubMed, EBSCO, Scopus, ProQuest, Wiley, and SpringerLink databases. We applied the Boolean search approach [32] and uniformly specified the search formula as ("sports events" OR "sports game" OR "match sports" OR "competition") AND ("carbon emission" OR "carbon"), including as far as possible all relevant literature.

Step 4: Removing irrelevant literature and screening

Because a variety of databases are used, duplicate records will inevitably appear in them. For the first time, all the literature involved was imported into EndNote20 software, and the first work of deleting duplicate records was carried out using the self-checking function. Afterward, Jing-Xuan Zhou and Qi-Fei Xia performed

manual checking to avoid the appearance of literature not checked by the software.

In this review, in order to ensure that the studies included in the literature are all available literature, we deleted the Review, Book Section, and Conference Paper. All included literature must be published in English. In the collation of literature, it should be guaranteed that the literature is related to “sports events” and “carbon”, so Jing-Xuan Zhou, Qi-Fei Xia, and Yi-Ning Qin screened all the included literature to ensure the reliability of the literature. In addition, retracted articles and articles without full text were excluded.

Step 5: Inclusion of literature

The quality of the literature included was assessed for the final inclusion of the literature. The introduction of CASP Check (Critical Appraisal Skills Program Checklist), a set of tools to evaluate the quality of research developed by the non-profit organization Critical Appraisal Skills Program (CASP), is generally described from the perspectives of: Are the results valid? What are the results? Will the results help locally? We chose this quality testing method because the CASP Check is more systematic, the criteria are open and transparent, and it is more widely applicable. The form consists of 10 questions, and Jing-Xuan Zhou and Qi-Fei Xia, who are more familiar with the field, were chosen to assess the quality of the included literature. It will be divided into High, Moderate, and Low according to the quality of the article.

Results

A search was conducted in the Web of Science, PubMed, EBSCO, Scopus, ProQuest, Wiley, and SpringerLink databases, respectively. The search time was controlled to a range of “2019-01-01 - 2024-10-11”. 615 relevant documents were retrieved, in addition to 1 document that was manually collected, for a total of 616 relevant documents. The relative simplicity of the search terms also made the subsequent screening of the literature more difficult, but it also ensured the comprehensiveness of the literature as much as possible.

The screening process was carried out in two phases. In the first phase, 36 documents were deleted by Endnote’s own screening function, and in the second phase, based on the first phase, Jing-Xuan Zhou and Qi-Fei Xia manually screened and deleted 6 documents. A total of 42 documents were deleted. The total number of documents after screening was 574.

Reviews, Book Sections, and Conference Papers were excluded to ensure the scientific nature of the research and other forms of literature. This systematic review mainly focuses on research articles and ensures the rigor of the research to the greatest extent possible. In the end, 44 Review articles, 2 Book Section articles, and 10 Conference Paper articles were excluded, for a total of 56 removed articles. The total number of literature after screening is 518.

The literature screening flowchart omitted the process of screening English publications. Because of searching databases or other factors, this literature search was all published in English. This screening process did not exclude any literature.

This step was a waste of the researcher’s time and experience because of the simple search formula, resulting in less literature on the research objectives and questions. Jing-Xuan Zhou, Qi-Fei Xia, and Yi-Ning Qin screened this step three times. Literature with slightly different screening results was discussed together until the results were unified. A total of 500 papers were excluded. A total of 18 papers were screened.

The 18 articles were summarized and sorted out, and one article was found to be withdrawn, two articles had no full text, and one article had no abstract, so four articles were excluded again. According to the CASP Check’s scoring criteria [33], we excluded four papers with low ratings. A total of 8 pieces of literature were finally excluded. 10 pieces of literature were included.

Table 1 summarizes the key features of the 10 selected articles, including Title, Authors, Year of Publication, Method, and Appraised quality.

These 10 selected articles cover sports events in China, Finland, Austria, Turkey, and Italy. These studies span from 2019-2024 and do not include literature from 2020. Some selected articles use a team, a certain match, a certain home stadium, etc., as the research object to track the carbon footprint or construct an evaluation model. We conducted a comprehensive search of the 10 selected articles to explore the impact of sports events on carbon emissions and solutions. In recent years, there has been relatively more research on carbon emissions but significantly less on sporting events. In this systematic review, we have included as many articles as possible related to sports events and carbon emissions, most of which have been studied with greenhouse gases such as CO₂ as the main target. As sporting events are held more frequently and at a higher level, the relationship between them and carbon emissions is becoming stronger and stronger. There are still significant gaps in this research, and in this regard, we have selected relevant studies from the last five years, distinguishing them from the traditional areas of research on carbon emissions from industry and agriculture.

Discussion

Impact of Sports Events on Carbon Emissions

Major Emissions from the Organization of Sporting Events

Sporting events result in a higher carbon footprint per spectator (see Table 2). David M. Herold et al. [34] used Austrian team Rapid Vienna’s home events as a case study and found that each home event produced an average of 99,548 kg CO₂e emissions per event, i.e., 6.0

Table 1. The Main Characteristics of the Selected Articles: Title, Authors, Year of Publication, Method, and Appraised Quality.

Title	Authors	Year of publication	Method	Appraised Quality
Sports events and the environment: Assessing the carbon footprint of spectators' modal choices at professional football games in Austria	David M. Herold et al. [34]	2024	The GHG emission situation in Rapid Vienna is selected as a case study.	High
Study on Life Cycle Carbon Footprints and an Uncertainty Analysis of Mega Sporting Events: An Analysis in China	Hongyan Wang et al. [35]	2024	1. This study adopted a combination of data quality evaluations and Monte Carlo simulations. 2. Case study.	Moderate
In search of climate neutrality in ice hockey: A case of carbon footprint reduction in a Finnish professional team	Ville Uusitalo et al. [36]	2024	The study is based on a life cycle assessment method.	High
Tackling Carbon Footprints: Sustainability Challenges of Hosting the Final Four in Kaunas, Lithuania	Dalia Perkumienė et al. [37]	2024	The interviews were conducted using a semi-structured interview.	Moderate
The last quarter for sustainable environment in basketball: the carbon footprint of basketball teams in Türkiye and Lithuania	Milėta Vienažindienė et al. [38]	2023	Calculate the carbon footprints of the teams in the Turkish and Lithuanian national basketball leagues based on their travels in the 2021–22 season.	High
Assessing the Environmental Impact of a University Sports Event: The Case of the 75th Italian National University Championships	Lidia Piccerillo et al. [39]	2023	1. Qualitative-quantitative assessment. 2. Interviews.	Moderate
Sports Events and Emissions Reporting: An Analysis of the Council for Responsible Sport Standard for Running Events	Brian P. McCullough et al. [40]	2023	The study used the Council for Responsible Sport's methodology to assess the carbon footprint of 28 mass participation running events in North America. It focuses on GHG emissions.	High
An evidence base for reducing the CO ₂ emissions of national mega sports events: application of the three-hub model to the Japan 2019 Rugby World Cup	Eiji Ito and James Higham. [41]	2023	The study uses the "three-hub model".	Moderate
Air quality during and after the Commonwealth Games 2018 in Australia: Multiple benefits of monitoring	Tara Kuhn et al. [42]	2021	Use low-cost air quality sensor monitors for monitoring.	High
Growing Cities and Mass Participant Sport Events: Travel Behaviors and Carbon Dioxide Emissions	Stavros Triantafyllidis and Harry Davakos. [43]	2019	Web surveys were utilized to collect data from the registered runners who participated in the running event on 6th April 2019.	High

Table 2. Sample country, sporting event, test gas, sample time, conclusion, intervention.

Number	Title	Authors	Sample country	Sporting event	Test gas	Sample time	Conclusion	Intervention
1	Sports events and the environment: Assessing the carbon footprint of spectators' modal choices at professional football games in Austria	David M. Herold et al. [34]	Austria	Professional football matches, with the specific case study being the home matches of Rapid Vienna, the largest football club in Austria.	Greenhouse Gas (GHG) emissions, especially carbon dioxide equivalent (CO ₂ e).	Data collection took place in 2019 and included an online survey of season ticket holders as well as an on-site survey at three home games in September and October 2019.	<p>1) Each home event produced an average of 99,548kg of CO₂e emissions or 6.0kg of CO₂e emissions per spectator.</p> <p>2) 42.4% of viewers arrived by private car, generating 71.6% of GHG emissions, while 52.8% of viewers who used public transport generated only 27.1% of GHG emissions.</p> <p>3) Spectators with annual public transport tickets were more likely to use public transport, while those without tickets were more likely to drive.</p>	<p>1) Sporting event managers should increase the use of public transport and work with public authorities to optimize the level of transport services during events.</p> <p>2) Policymakers should consider improving the integration of the public transport system and increasing the capacity of specific public transport before and after events to encourage more spectators to use public transport.</p> <p>3) Sports management academics should further study spectators' transport mode choices and their determinants, as well as how to encourage spectators to choose more environmentally friendly transport options.</p>
2	Study on Life Cycle Carbon Footprints and an Uncertainty Analysis of Mega Sporting Events: An Analysis in China	Hongyan Wang et al. [35]	Beijing, China	The name of the specific event was not specified, but a case of a major sporting event held in Beijing was mentioned.	Carbon dioxide (CO ₂)	The study covers the preparatory phase from 2018 to the eve of the event in 2021, as well as the hosting phase of the event in 2022.	<p>1) The preparation phase of a major sports event accounts for 92.1 percent of the total life cycle CO₂ emissions, the hosting phase for 7.5 percent, and the closing phase for 0.4 percent.</p> <p>2) Under a sustainable scenario, the total life cycle CO₂ emissions from major sports events in Beijing are 205,080.3 tons CO₂, and the per capita CO₂ emissions during the event hosting phase are 0.26 tons CO₂/person.</p> <p>3) The uncertainty of the input parameters is 0.0617, which indicates that the uncertainty of the model is low and the reliability of the results is high.</p>	<p>1) Reduce the construction of new venues and use or refurbish existing venues.</p> <p>2) Adopt low-carbon performance design, select low-carbon building materials, and strengthen low-carbon management in the construction process.</p> <p>3) Reduce CO₂e emissions by adopting water-saving and energy-saving measures, using green energy, etc.</p> <p>4) Prioritizing low-carbon materials significantly impacted the CO₂e emissions of activities.</p> <p>5) The catering industry should promote vegetarian food.</p> <p>6) Vehicles that run on clean energy, such as ferries, should be used within the competition area.</p>



<p>3</p>	<p>In search of climate neutrality in ice hockey: A case of carbon footprint reduction in a Finnish professional team</p>	<p>Ville Uusitalo et al. [36]</p>	<p>Lahti Finland</p>	<p>Professional ice hockey.</p>	<p>Greenhouse gases (GHG), particularly carbon dioxide equivalent (CO₂eq)</p>	<p>The study covers the 2018-2019 season to the 2021-2022 season.</p>	<p>1) The hockey team's carbon footprint was reduced by more than 50 percent between the 2018-2019 and 2021-2022 seasons, from 350 tons CO₂eq to 164 tons CO₂eq. 2) The team reduced greenhouse gas emissions associated with travel, rink operations, and commuting for players and office members. 3) The team achieved carbon neutrality by offsetting remaining emissions. 4) Spectator mobility and rink energy consumption are the most significant sources of GHG emissions.</p>	<p>1) The team has taken measures to reduce traveling emissions, such as avoiding flights. 2) The ice rink operation reduces emissions by improving energy efficiency, optimizing energy usage, and improving energy production methods. 3) The team offsets remaining greenhouse gas emissions to become carbon neutral. 4) Collaboration with partners and stakeholders is encouraged to reduce greenhouse gas emissions, particularly in the Scope 3 category. 5) The team also reduced event-related mobility emissions by changing travel plans, increasing vehicle occupancy, and encouraging low-emission travel patterns.</p>
<p>4</p>	<p>Tackling Carbon Footprints: Sustainability Challenges of Hosting the Final Four in Kaunas, Lithuania</p>	<p>Dalia Perkumienė et al. [37]</p>	<p>Kaunas Lithuania</p>	<p>2023 Euroleague Men's Basketball Final Four Tournament.</p>	<p>Carbon dioxide (CO₂)</p>	<p>The study covers from 19th to 21st May 2023 for the Final Four tournament.</p>	<p>1) The total carbon footprint of the four teams was 4,560.325 kg, with an average carbon footprint of 189.74 kg per person. 2) The total carbon footprint of the fans of the four teams is 4,065,686kg, with an average carbon footprint of 3,003kg per person. 3) The main sources of carbon footprint in the sports sector are traveling, energy consumption, and waste generation.</p>	<p>1) Shift to renewable and clean energy sources. 2) Promote waste management strategies and recycling practices. 3) Encourage fans to use public transport, especially for fans; promote the use of electric or hybrid vehicles; and clubs support programs, policies, and projects related to sustainable transport.</p>



<p>5</p>	<p>The last quarter for sustainable environment in basketball: the carbon footprint of basketball teams in Türkiye and Lithuania</p>	<p>Milita Vienažindienė et al. [38]</p>	<p>Türkiye and Lithuania</p>	<p>Basketball leagues in Turkey and Lithuania, specifically teams traveling for the 2021-22 season.</p>	<p>Carbon dioxide (CO₂) and other greenhouse gases (e.g., methane CH₄, nitrous oxide N₂O, and fluorinated gases), dominated by carbon dioxide equivalent (CO₂e)</p>	<p>2021-2022 Season.</p>	<p>1) The total carbon footprint of the Turkish and Lithuanian basketball leagues is 53,029 tons. 2) The Turkish Basketball League's total carbon footprint is 48,164 tons, with an average of 0.11148 kg per person. 3) The Lithuanian Basketball League's total carbon footprint is 4,865 tons, with an average of 0.02010 kg per person. 4) The basketball league in Turkey has a significantly higher carbon footprint than Lithuania due to a higher proportion of flight travel.</p>	<p>1) Optimize the race schedule to reduce travel for the race. 2) Use green and clean energy (electric) vehicles. 3) Raise environmental awareness among club managers.</p>
<p>6</p>	<p>Assessing the Environmental Impact of a University Sports Event: The Case of the 75th Italian National University Championships</p>	<p>Lidia Piccerillo et al. [39]</p>	<p>Italy</p>	<p>75th Italian National University Championships.</p>	<p>Carbon dioxide (CO₂).</p>	<p>This study was conducted in 2022, specifically when the 75th INUC was held from 13th May to 2nd May.</p>	<p>1) The total GHG emissions estimated by the study were 40,551kg CO₂e, of which 27,360kg CO₂e was attributed to transport and 13,191kg CO₂e to accommodation. 2) The carbon footprint per capita was 63kg CO₂e, which is approximately 21.7kg CO₂e per person per day based on the average number of days the sample stayed during the event. 3) The study also found that the management of sports organizations was less concerned with environmental sustainability and more concerned with the breadth of sports participation.</p>	<p>1) Suggest that local organizing committees promote the free use of public transport during sporting events to limit emissions caused by private vehicles or taxis traveling in the host city. 2) Improve student-athlete education on more sustainable behaviors to reduce GHG emissions. 3) The Italian University Sports Federation could include environmental sustainability goals and criteria in its statutes, mission, and procedures and commit to adopting guidelines and regulations on environmental matters.</p>



7	Sports Events and Emissions Reporting: An Analysis of the Council for Responsible Sport Standard for Running Events	Brian P. McCullough et al. [40]	North America	28 mass-participation running events, including marathons, half-marathons, and 10km events.	Greenhouse Gas (GHG) emissions, especially carbon dioxide equivalent (CO ₂ e).	These events took place between 2014 and 2019.	<p>1) The average GHG emissions for these events were 3363 MtCO₂e (0.23 MtCO₂e per person).</p> <p>2) Scope 3 emissions accounted for 99.9% of the total, of which 98.9% was attributable to participant travel.</p> <p>3) The Council's methodology can help event organizers understand the carbon footprint of their events and its potential value as an environmental management tool.</p>	<p>1) Event organizers can reduce the carbon footprint of road running and mass participation events by adopting a 'less emissions, more offsets' approach.</p> <p>2) Organizers can promote their events as carbon neutral by including the cost of offsetting the overall event emissions in the event registration fee.</p> <p>3) Organizers can create events that encourage participants to use more sustainable transport to get to the event.</p>
8	An evidence base for reducing the CO ₂ emissions of national mega sports events: application of the three-hub model to the Japan 2019 Rugby World Cup	Eiji Ito and James Higham. [41]	Japan	Japan 2019 Rugby World Cup	Carbon dioxide (CO ₂).	Japan 2019 During the Rugby World Cup.	<p>1) If Rugby World Cup 2019 were to be planned and delivered in accordance with the three-hub model (three-hub model), CO₂ emissions associated with air travel for inbound spectators between domestic venues and inbound airports could be reduced by 62.7% (14,126.9 tons CO₂).</p> <p>2) In order to successfully implement the triple-hub model, the three venues need to be carefully selected and supported with ticketing, pricing, and baggage handling strategies that integrate hub (gateway) air and radial rail connections to further encourage sustainable surface transport between the venue cities.</p>	<p>1) It is recommended that Japan Rail Passes be bundled with event tickets to encourage the use of high-speed trains rather than domestic flights.</p> <p>2) It is recommended that organizing committees of future major sporting events consider staging events at a regional level to reduce reliance on the high-speed rail network.</p> <p>3) It is recommended that future studies use big data to accurately measure the impact of the triple hub model on major sporting events rather than estimate it.</p>



9	Air quality during and after the Commonwealth Games 2018 in Australia: Multiple benefits of monitoring	Tara Kuhn et al. [42]	Gold Coast, Australia	Commonwealth Games 2018	PM _{2.5} and CO	19 th March - 2 nd April, 3 rd April - 15 th April, 16 th April - 30 th April 2018	Air quality in the Gold Coast region remained good during the 2018 Commonwealth Games, with low concentrations of both PM _{2.5} and CO, and no deterioration in air quality as a result of the event. The main source of CO was local.	The race organizers, GOLDOC, have taken appropriate measures to prevent the effects of air pollution, such as encouraging public transport and providing a dedicated fleet of vehicles for athletes and officials.
10	Growing Cities and Mass Participant Sports Events: Travel Behaviors and Carbon Dioxide Emissions	Stavros Triantafyllidis and Harry Davakos. [43]	South Carolina	Massive running event.	Carbon dioxide (CO ₂).	The running event was held on 6 th April 2019.	1) Most active sporting event participants traveled more than 150 miles to attend the event and used their own vehicles. 2) Long-distance travelers alone produced 338 million kg of CO ₂ emissions.	Fast-growing cities and sports event organizers should control participants' travel behavior to reduce CO ₂ emissions.

kg per spectator. Dalia Perkumienė et al. [37] conducted a carbon footprint emission study for the men's Final Four Euroleague Basketball tournament in 2023 and found that fans had an average carbon footprint of 3.003 kg CO₂e per person. Lidia Piccerillo et al. [39] found that the per capita carbon footprints for the 75th Italian National University Championships study found a per capita carbon footprint of 63 kg CO₂e. The overall result is that each spectator increases their carbon footprint, but there is a large variation in the per capita carbon footprint; firstly, because of the different time spans of the measurements and different choices of sporting event cycles, it will lead to changes in the total amount of carbon footprint. The second is the difference in the equipment and location of the measurements, which makes it difficult to measure accurately and judge only the approximate carbon footprint.

Sporting events do not greatly affect PM_{2.5} and CO. Tara Kuhn et al. [42] studied gas monitoring before, during, and after the Commonwealth Games 2018 cycle using low-cost air quality sensor monitors known as KOALAs placed at nine locations. They found little change in PM_{2.5} and CO on the Gold Coast, further demonstrating that sporting events do not greatly affect PM_{2.5} and CO.

Main Sources of Carbon Emissions from the Organization of Sports Events

The issue of the sources of carbon footprints of sports events encompasses three areas (see Fig. 2). David M. Herold et al., Dalia Perkumienė et al., Milita Vienažindienė et al., Stavros Triantafyllidis and Harry Davakos et al. The study concluded that carbon emissions are mainly due to transport, such as aircraft and vehicles, leading to carbon footprint emissions.

David M. Herold et al. [34] selected Rapid Vienna, Austria's largest football club, and administered questionnaires to spectators at three home matches in order to derive distance traveled and carbon emissions. It was found that 42.4% of the spectators arrived by private car, generating 71.6% of the GHG emissions, while 52.8% of the spectators who used public transport generated only 27.1% of the GHG emissions, to conclude that private cars emit more carbon and are more polluting to the environment.

Dalia Perkumienė et al. [37] selected the Final Four Euroleague Men's Basketball Tournament 2023 as the study object and calculated the carbon footprint of the teams and the fans through a mixed research method, followed by semi-structured interviews with the team managers. The study found that: 1) The total carbon footprint of the four participating teams was 4560.325 kg, with an average carbon footprint of 189.74 kg per person. 2) The total carbon footprint of the fans of the four teams was 4065.686 kg, with an average carbon footprint of 3.003 kg per person. 3) The total carbon footprint of the fans of the four teams was 4,065.686 kg, with an average carbon footprint of 3.003 kg per person.



Fig 2. Map of sources of carbon emissions from sporting events (based on the results of this study).

One of the main sources of carbon footprint is the selection of team and fan transport: airplanes and cars.

Milica Vienažindienė et al. [38] selected the basketball leagues in Turkey and Lithuania for the 2021-2022 season and calculated the carbon footprint by using the fixtures and then extrapolating the journeys of each team. It was found that the total carbon footprint of the basketball leagues of Turkey and Lithuania was 53,029 tons. The main source of the carbon footprint is the issue of air travel, and the Lithuanian Basketball League's total carbon footprint is lower than that of the Turkish Basketball League, mainly because Lithuania is a smaller country and the use of airplanes as a means of transport is relatively low.

Stavros Triantafyllidis and Harry Davakos. [43] selected an annual running event in South Carolina, USA, and surveyed 34,924 runners through a web-based survey and found that in order to participate in the running event, the participants individually generated 338 million kilograms of CO₂ emissions. Traveling across distances by car, plane, and other behaviors became a significant factor.

In addition, it has been suggested that venue energy consumption is also an important source of carbon footprint. Ville Uusitalo et al. [36] studied greenhouse gases by examining the popular professional ice hockey game in Finland, which is one of the existing articles that specifically includes the study of sporting events on greenhouse gas emissions. It found that the venue

is more energy intensive because of the presence of ice halls, the ice surface based on electricity, and the presence of refrigerant and waste. In this regard, it is argued that venue energy consumption can also be a major carbon dioxide source for sports events requiring special temperatures and venues.

Lidia Piccerillo et al. [39] identified accommodation as an important source of carbon emissions in addition to transport. His study of the 75th Italian National University Championships found that 27,360 kg CO₂e were attributed to transport and 13,191 kg CO₂e to accommodation. Particular attention was paid to the impact of accommodation on local carbon emissions.

Initiatives to Address Increased Carbon Emissions from Sporting Events

Increase the Use of Public Transport

David M. Herold et al. [34] suggest that because 40% of spectators who choose to travel by private car produce 70% of GHGs, it is recommended to increase the use of public transport and improve the level of transport services. Hongyan Wang et al. [35] take the carbon footprint of the cycle of sports events as the object of their study and, in particular, suggest that reducing the transport process of sports building materials can also reduce carbon emissions. Ville Uusitalo et al. [36] study concluded that teams should reduce the carbon emissions

caused by the traveling of their players, especially by high energy-consuming means of transport such as airplanes. In addition, most other researchers also favor the view that replacing airplanes and private cars with public transport will reduce carbon emissions and thus ensure that the carbon footprint is within a certain limit. It is also mentioned that replacing fuel vehicles with new energy vehicles can also reduce carbon emissions, further reducing the problem of rising carbon emissions from sporting events.

Use of Low-Carbon Materials and Energy Sources

In the study by Hongyan Wang et al. [35], carbon emissions during the preparation phase, organization phase, and end phase of a sporting event were highlighted. It has been found that the construction process of new venues in the preparation stage is an important source of carbon emissions, so it is recommended that they adopt a low-carbon performance design, select low-carbon building materials, and strengthen low-carbon management during the construction process. Ville Uusitalo et al. [36] conducted a systematic study on ice hockey as a case study and ultimately found that this sport requires special venues and venue maintenance, and stadiums will increase carbon emissions significantly. In this regard, it is recommended that emissions be reduced by improving energy efficiency, optimizing energy usage, and improving energy production methods during operation. Perkumiene et al. [37] also cited the direction of dedicated renewable and clean energy sources as an important step toward reducing carbon emissions.

Improvement of Education on Environmental Concepts among the Stakeholders of Sports Events

Milita Vienažindienė et al. [38] argued that club managers and event organizers should implement environmentally friendly concepts, and based on the basketball leagues in Turkey and Lithuania, it was argued that the education of environmental concepts should be strengthened at the level of the club managers and then put into practice to reduce the carbon emissions during the sports events. et al. [39] studied the carbon emissions of university sports events by taking sports events held at the Italian National University as the object of the study. The study concluded that the conceptual level should be strengthened in order to reduce the emission of greenhouse gases such as carbon dioxide.

More Accurate Measurement of Carbon Emissions

The measurement of carbon emissions is closely related to the prevention and control of carbon emissions. Currently, carbon emissions are measured by carbon footprinting or monitoring some of the locations around sporting events. Both of these methods lead to predictions of carbon emissions, and in doing so, the

carbon emissions of different types of cars and airplanes need to be taken into account, as well as the energy consumption of the venue. In this regard, Eiji Ito and James Higham [41] measured the carbon emissions of the Japan 2019 Rugby World Cup, with the intention of distinguishing between domestic and international spectators with different itineraries, and successfully implemented a three-hub model, which was verified to accurately measure the impacts of the sporting event. This carbon emission measurement will also provide more accurate raw data for subsequent carbon emission management.

Conclusions

According to the Discussion section, sports events drive intercity and intercountry mobility [44]. The means of transport used become a major source of carbon emissions [45], especially the large-scale concentrated use of fuel private cars [46] and airplanes [47], which will lead to a surge in the total amount of carbon emissions. Some researchers believe that sports venues and buildings [48] are another key factor leading to increased carbon emissions, especially during the building construction phase. For sports events that require special venues, such as ice hockey and skiing [49], sports facilities are also one of the important origins of carbon emissions. Among them, most of the carbon footprints of sports facilities in hockey rinks come from energy consumption, such as electricity, and 86% of the carbon footprints of skiing facilities are due to electricity consumption. In addition, the emissions of sports events are also closely related to the event cycle, event scale, and event impact. In addition, our research also has some shortcomings. The comprehensiveness of the included literature needs to be strengthened, and the inclusion of literature other than English is insufficient, especially the inclusion of some high-level literature.

Despite the abundance of research on sports events and carbon emissions, some results and progress have been achieved. However, based on the above review and assessment of the relevant literature, it is believed that the current research is still deficient in some aspects. Subsequent studies should be more systematic from the following perspectives.

1) The main reason sporting events lead to carbon emissions is because of the means of traveling, and it is seldom pointed out here that electric cars will help reduce carbon emissions [50]. Future research could consciously differentiate between the types of transport chosen by spectators to attend sporting events, particularly the proportion of electric and fuel vehicles used and their impact on carbon emissions [51]. However, in the use of electric vehicles, the focus should be on the production of batteries and other materials to make electric vehicles, which may increase emissions and pollution outside of electric vehicles [52-54] and the carbon emissions from the production process should be

divided according to the average life cycle of electric vehicles. Ultimately, the carbon emissions from sporting events contain the sum of actual carbon emissions and carbon emissions from the production process.

2) The current study did not consider the influence of season on carbon emissions during sports events. Whether different sports events in different seasons result in more/less carbon emissions should be included in subsequent studies. Moreover, because of seasonal differences, the photosynthetic efficiency of plants [55] and the demand and use of fuel are somewhat different. This also leads to fewer ways to “carbon offset” and more ways to emit carbon. In this regard, it is worthwhile to study which seasons are more suitable for holding sports events.

3) Future research could specifically analyze the differences in resource consumption and spectator attendance between male and female sporting events and how these differences affect carbon emissions. In particular, women’s sports consume relatively fewer resources and have lower attendance rates. In this regard, studying the impact of female and male sports events on carbon emissions is necessary.

4) Future research should focus on developing more accurate carbon emission measurement methods and exploring more effective emission reduction strategies by taking into account the characteristics of sports events in different seasons. Only by innovating more accurate ways of measuring carbon emissions can we further propose more accurate strategies for reducing carbon emissions.

5) Sports event organizers or host cities should implement carbon offsetting [54] strategies during the preparation and implementation of sports events rather than only imposing constraints or calling for policies.

Acknowledgments

Thanks to the School of Physical Education of Hunan University for supporting this article. We appreciate the valuable comments offered by the anonymous reviewers and editors who contributed to improving the quality of our article.

Conflict of Interest

The authors declare no conflict of interest.

References

1. PANJABI R.K.L. Can international law improve the climate-an analysis of the United Nations Framework Convention on Climate Change signed at the Rio Summit in 1992. *North Carolina Journal of International Law and Commercial Regulation*. **18**, 491, **1992**.
2. HUISINGH D., ZHANG Z., MOORE J.C., QIAO Q., LI Q. Recent advances in carbon emissions reduction: policies,

- technologies, monitoring, assessment and modeling. *Journal of Cleaner Production*. **103**, 1, **2015**.
3. CHEN J., GAO M., MANGLA S.K., SONG M., WEN J. Effects of technological changes on China’s carbon emissions. *Technological Forecasting and Social Change*. **153**, 119938, **2020**.
4. LI A., LIN B. Comparing climate policies to reduce carbon emissions in China. *Energy Policy*. **60**, 667, **2013**.
5. PHELPS J., WEBB E.L., ADAMS W.M. Biodiversity co-benefits of policies to reduce forest-carbon emissions. *Nature Climate Change*. **2** (7), 497, **2012**.
6. GRIFFIN P.W., HAMMOND G.P., NORMAN J.B. Industrial energy use and carbon emissions reduction: a UK perspective. *Wiley Interdisciplinary Reviews: Energy and Environment*. **5** (6), 684, **2016**.
7. FRANK S., HAVLÍK P., SOUSSANA J.-F., LEVESQUE A., VALIN H., WOLLENBERG E., KLEINWECHTER U., FRICKO O., GUSTI M., HERRERO M. Reducing greenhouse gas emissions in agriculture without compromising food security? *Environmental Research Letters*. **12** (10), 105004, **2017**.
8. KUMAR M., BHALLA S. Global sports market today: An overview. *International Journal of Physical Education, Sports and Health*. **8** (4), 223, **2021**.
9. ALLISON R., KNOESTER C. Gender, sexual, and sports fan identities. *Sociology of Sport Journal*. **38** (3), 310, **2021**.
10. GUEST A.M., LUIJTEN A. Fan culture and motivation in the context of successful women’s professional team sports: A mixed-methods case study of Portland Thorns fandom. *Sport in Society*. **21** (7), 1013, **2018**.
11. SIEGFRIED J., ZIMBALIST A. The Economic Impact of Sports Facilities, Teams and Mega-Events. *Australian Economic Review*. **39** (4), 420, **2006**.
12. GIAMPICCOLI A., LEE S.S., NAURIGHT J. Destination South Africa: Comparing global sports mega-events and recurring localised sports events in South Africa for tourism and economic development. *Current Issues in Tourism*. **18** (3), 229, **2015**.
13. SCHIMMEL K.S., HARRINGTON C.L., BIELBY D.D. Keep your fans to yourself: The disjuncture between sport studies’ and pop culture studies’ perspectives on fandom. *Sport in Society*. **10** (4), 580, **2007**.
14. WICKER P., THORMANN T.F. Environmental impacts of major sport events. Edward Elgar Publishing. **2024**.
15. SCHNEIDER S., MÜCKE H.-G. Sport and climate change—how will climate change affect sport? *German journal of exercise and sport research*. **54** (1), 12, **2024**.
16. ORR M., INOUE Y. Sport versus climate: Introducing the climate vulnerability of sport organizations framework. *Sport Management Review*. **22** (4), 452, **2019**.
17. HEYNEN A.P., VANARAJA AMBETH P. Sustainable legacies of a climate positive Olympic games: An assessment of carbon offsets and renewable energy for Brisbane 2032. *Sustainability*. **15** (2), 1207, **2023**.
18. MCCULLOUGH B.P., ORR M., KELLISON T. Sport ecology: Conceptualizing an emerging subdiscipline within sport management. *Journal of Sport Management*. **34** (6), 509, **2020**.
19. MOUGIN L., BOUGAULT V., RACINAIS S., MOUNTJOY M.L., STEPHENSON B., CARTER S., JAMES L.J., MEARS S.A., TAYLOR L. Environmental challenges facing athletes, stakeholders and spectators at Paris 2024 Olympic and Paralympic Games: an evidence-based review of mitigation strategies and recommendations. *British Journal of Sports Medicine*. **58**

- (15), 870, 2024.
20. TABUNSHCHIKOV Y., BRODACH M., SHILKIN N. Green Buildings-sustainable development strategy. *EDP Sciences*. **164**, 2020.
 21. FRANCIS A.E., WEBB M., DESHA C., RUNDLE-THIELE S., CALDERA S. Environmental sustainability in stadium design and construction: A systematic literature review. *Sustainability*. **15** (8), 6896, 2023.
 22. ÇALIK F., GERI S. Effects of global climate changes on sports and athletes. *Sports Medicine Journal/Medicina Sportivã*. **18** (1), 2022.
 23. PEREIRA R.P.T., CAMARA M.V.O., RIBEIRO G.M., FILIMONAU V. Applying the facility location problem model for selection of more climate benign mega sporting event hosts: A case of the FIFA World Cups. *Journal of Cleaner Production*. **159**, 147, 2017.
 24. ORR M. On the potential impacts of climate change on baseball and cross-country skiing. *Managing Sport and Leisure*. **25** (4), 307, 2020.
 25. KELLISON T.B., CASPER J.M. Environmental legacy of mega sport events. *Routledge*. 2017.
 26. ZEREN ÇETIN İ. Used in Urban Area for Landscape Planning and Design Spatial and Temporal Variations in Chromium (Cr) Concentrations in *Picea orientalis* L. *Turkish Journal of Agriculture - Food Science and Technology*. **12** (10), 1730, 2024.
 27. AKRAM R., CHEN F., KHALID F., YE Z., MAJEED M.T. Heterogeneous effects of energy efficiency and renewable energy on carbon emissions: Evidence from developing countries. *Journal of Cleaner Production*. **247**, 119122, 2020.
 28. BALSALOBRE-LORENTE D., DRIHA O.M., BEKUN F.V., OSUNDINA O.A. Do agricultural activities induce carbon emissions? The BRICS experience. *Environmental Science and Pollution Research*. **26**, 25218, 2019.
 29. HAMMOND G.P., NORMAN J.B. Decomposition analysis of energy-related carbon emissions from UK manufacturing. *Energy*. **41** (1), 220, 2012.
 30. WILBY R.L., ORR M., DEPLEDGE D., GIULIANOTTI R., HAVENITH G., KENYON J.A., MATTHEWS T.K., MEARS S.A., MULLAN D.J., TAYLOR L. The impacts of sport emissions on climate: Measurement, mitigation, and making a difference. *Annals of the New York Academy of Sciences*. **1519** (1), 20, 2023.
 31. EIME R., SAWYER N., HARVEY J., CASEY M., WESTERBEEK H., PAYNE W. Integrating public health and sport management: Sport participation trends 2001–2010. *Sport Management Review*. **18** (2), 207, 2015.
 32. SALTON G., FOX E.A., WU H. Extended boolean information retrieval. *Communications of the ACM*. **26** (11), 1022, 1983.
 33. LONG H.A., FRENCH D.P., BROOKS J.M. Optimising the value of the critical appraisal skills programme (CASP) tool for quality appraisal in qualitative evidence synthesis. *Research Methods in Medicine & Health Sciences*. **1** (1), 31, 2020.
 34. HEROLD D.M., BREITBARTH T., HERGESELL A., SCHULENKORF N. Sport events and the environment: Assessing the carbon footprint of spectators' modal choices at professional football games in Austria. *Journal of Cleaner Production*. **452**, 2024.
 35. WANG H.Y., TIAN J.B., LI Y.F., WANG Y., LU Y., ZHANG J.Y., LEI C.T., LI C. Study on Life-Cycle Carbon Footprints and an Uncertainty Analysis of Mega Sporting Events: An Analysis in China. *Buildings*. **14** (8), 2024.
 36. UUSITALO V., HALONEN V., KOLJONEN H., HEIKKINEN S., CLAUDELIN A. In search for climate neutrality in ice hockey: A case of carbon footprint reduction in a Finnish professional team. *Journal of Environmental Management*. **355**, 2024.
 37. PERKUMIENE D., ATALAY A., LABANAUSKAS G. Tackling Carbon Footprints: Sustainability Challenges of Hosting the Final Four in Kaunas, Lithuania. *Urban Science*. **8** (2), 2024.
 38. VIENAZINDIENE M., PERKUMIENE D., ATALAY A., SVAGZDIENE B. The last quarter for sustainable environment in basketball: the carbon footprint of basketball teams in Turkiye and Lithuania. *Frontiers in Environmental Science*. **11**, 2023.
 39. PICCERILLO L., MISITI F., DIGENNARO S. Assessing the Environmental Impact of a University Sport Event: The Case of the 75th Italian National University Championships. *Sustainability*. **15** (3), 2267, 2023.
 40. MCCULLOUGH B.P., COLLINS A., ROBERTS J., VILLALOBOS S. Sport Events and Emissions Reporting: An Analysis of the Council for Responsible Sport Standard in Running Events. *Sustainability*. **15** (19), 2023.
 41. ITO E., HIGHAM J. An evidence-base for reducing the CO₂ emissions of national mega sports events: application of the three-hub model to the Japan 2019 Rugby World Cup. *Journal of Sustainable Tourism*. 2023.
 42. KUHN T., JAYARATNE R., THAI P.K., CHRISTENSEN B., LIU X.T., DUNBABIN M., LAMONT R., ZING I., WAINWRIGHT D., WITTE C., NEALE D., MORAWSKA L. Air quality during and after the Commonwealth Games 2018 in Australia: Multiple benefits of monitoring. *Journal of Aerosol Science*. **152**, 2021.
 43. TRIANTAFYLIDIS S., DAVAKOS H. Growing Cities and Mass Participant Sport Events: Traveling Behaviors and Carbon Dioxide Emissions. *C-Journal of Carbon Research*. **5** (3), 2019.
 44. DOSUMU A., COLBECK I., BRAGG R. Greenhouse gas emissions as a result of spectators travelling to football in England. *Scientific reports*. **7** (1), 6986, 2017.
 45. AVOTRA A.A.R.N., NAWAZ A. Asymmetric impact of transportation on carbon emissions influencing SDGs of climate change. *Chemosphere*. **324**, 138301, 2023.
 46. PAPAGIANNAKI K., DIAKOULAKI D. Decomposition analysis of CO₂ emissions from passenger cars: The cases of Greece and Denmark. *Energy Policy*. **37** (8), 3259, 2009.
 47. WANG Z., XU X., ZHU Y., GAN T. Evaluation of carbon emission efficiency in China's airlines. *Journal of Cleaner Production*. **243**, 118500, 2020.
 48. PAN W., LI K., TENG Y. Rethinking system boundaries of the life cycle carbon emissions of buildings. *Renewable and Sustainable Energy Reviews*. **90**, 379, 2018.
 49. ATALAY A. An evaluation of the carbon footprint problem in winter sports: Carbon footprint of Sarikamis Ski Facilities. *The Journal of Corporate Governance, Insurance, and Risk Management*. **9** (1), 229, 2022.
 50. ZHAO X., HU H., YUAN H., CHU X. How does adoption of electric vehicles reduce carbon emissions? Evidence from China. *Heliyon*. **9** (9), 2023.
 51. HANNAN M.A., HOQUE M.M., MOHAMED A., AYOB A. Review of energy storage systems for electric vehicle applications: Issues and challenges. *Renewable & Sustainable Energy Reviews*. **69**, 771, 2017.
 52. GAO Z., XIE H., YANG X., ZHANG L., YU H., WANG W., LIU Y., XU Y., MA B., LIU X., CHEN S. Electric vehicle lifecycle carbon emission reduction: A review. *Carbon Neutralization*. **2** (5), 528, 2023.

53. SAFDAR I., RAZA A., KHAN A.Z., ALI E. Feasibility, emission and fuel requirement analysis of hybrid car versus solar electric car: a comparative study. *International Journal of Environmental Science and Technology*. **14** (8), 1807, **2017**.
54. SHARMA A., SHIWANG J., LEE A., PENG W. Equity implications of electric vehicles: A systematic review on the spatial distribution of emissions, air pollution and health impacts. *Environmental Research Letters*. **18** (5), **2023**.
55. EAMUS D., MYERS B., DUFF G., WILLIAMS D. Seasonal changes in photosynthesis of eight savanna tree species. *Tree physiology*. **19** (10), 665, **1999**.